MIXER FLATSPRAY 20

Airless atomizers | reference : 3B03203000



La machine Mixer Flatspray 20 est une machine pour l'application d'un grand nombre d'enduits : enduit de ratissage, enduit de lissage, enduit multi-fonction, enduit gouttelette* et autres produits.

Mixer Flatspray 20 est équipée d'une pompe sans clapet pour un entretien simple, d'une cuve ronde en inox et une bonde de vidange de Ø35 mm pour un nettoyage plus aisé.

Ses roues gonflables avec profil plat offrent une meilleure stabilité et permettent un déplacement aisé de la machine y compris quand la cuve est pleine.

*avec compresseur et kit gouttelette en option

TECHNICAL DATA	
Hopper capacity	4 bags
Power supply	230 V-16 A / 50 and 60 Hz
Motor power	2,2 KW
Max. operating pressure	100 bar
Max. spraying flow rate	6L/min*
Max. spraying distance	40 meters*
Type of pump	volumetric screw pump
Pump	JET 2 (Ref.3F00529100)
Max. nozzle (new)	0.045"
Dimensions (I x w x h)	65 x 74 x 121 cm
Weight	80 kg
(*)	

(*) depending on the characteristics of the product used, the stator, the rotor, the diameter and lenght of the hose, the spraying height and the ambient temperature.

DELIVERED WITH

- a 10 M Hose
- a spray-gun with nozzle holder
- a 443 nozzle
- 1 toolbox containing:
 - a 17 spanner
 - two open-end wrenches 22/32 and 27/38
 - a multigrip pliers
 - three Allen keys Ø2, 5 and 8
 - two cleaning balls and a cleaning brush
 - •1 L of storage liquid

